

XIAMEN JINGWEI TECHNOLOGY CO., LTD.

Corrugated Tube Cutting Machine

2 Products



WPM-245



WPM-4.5-32

WhatsApp: +86-18965153335 | Email: sales@cablecutting.net | www.cablecutting.net

526 Xinglinwan Rd, Jimei, Xiamen, Fujian, China

Product Overview - Corrugated Tube Cutting Machine



WPM-245


Automatic Corrugated Pipe Cutting Machine 4-25mm

旋转型切管机(切断型)

Rotary tube cutting machine

产品特点

- 1.高精度旋转切割，切口更平整
 - 2.无屑切割，无需二次加工
 - 3.皮带牵引，无压痕、变形
 - 4.无需换刀具，可大小适用
- 1. High-precision rotary cutting, cutting more s
 - 2. No sharp cutting, no secondary processing
 - 3. Belt traction, no indentation, deformation
 - 4. No need to change tools, size available



型号 Model	剪切长度(mm) Cutting length	剪切直径(mm) Cutting width	电机功率 (KW) Power	电源(V) Voltage/ frequency	重量(kg) Weight	外形尺寸(mm) Package size
YH-B03	5-9999mm	4-42mm	1.0KW	220/110(V) 50/60Hz	70kg	700*580*450mm

WPM-4.5-32

Corrugated Tube Cutting Machine for Automotive Harness

Automatic Corrugated Pipe Cutting Machine 4-25mm

The Automatic Corrugated Pipe Cutting Machine WPM-245 is a state-of-the-art solution for plastic pipe processing. Featuring a 7-inch true color touchscreen and PLC control system, it handles pipe diameters from 4mm to 25mm with air pressure-controlled cutting speed (0.6-0.8Mpa). Achieves 50 bars per minute at 200mm length. Ideal for automotive, construction, agriculture, telecommunications, and HVAC industries.

Specifications

Model Number	WPM-245
Control Panel	7-inch True Color Touchscreen
Control System	PLC
Power Supply	220V 50/60HZ
Cutting Diameter	4-25mm
Cutting Speed	0.6-0.8Mpa
Fitting Accuracy	200mm L, 50 bars/min
Dimensions	1770x660x1550mm
Weight	270kg



Corrugated Tube Cutting Machine for Automotive Harness

The Corrugated Tube Cutting Machine WPM-4.5-32 is specially designed for processing automotive harness bellows. It cuts round plastic pipes, bellows, and double-wall heat-shrinkable tubing with high precision. Features PLC touch screen control, motor-driven cutting, tube diameter range 5-30mm, cutting length 5-9999mm with +/-1% accuracy. Available in two models: WPM-4.5-32-1 (standard cut) and WPM-4.5-32-2 (cut open).

Specifications

Model Number	WPM-4.5-32
Control System	PLC Touch Screen
Cutting Mode	Motor Cutting
Power Supply	220V 50-60HZ
Cutting Tube Size	5-30mm
Cutting Length	5-9999mm
Accuracy	+/-1%
Cutting Speed	10-60pcs/min
Compressed Air	0.5Mpa
Dimensions	580x470x500mm
Weight	70kg

旋转型切管机(切断型)

Rotary tube cutting machine

产品特点

- 1.高精度旋转切割，切口更平整

2.无屑切割，无需二次加工


3.皮带牵引，无压痕、变形

4.无需换刀具，可大小适用
1. High-precision rotary cutting, cutting more s

2. No sharp cutting, no secondary processing

3. Belt traction, no indentation, deformation

4. No need to change tools, size available



型号 Model	剪切长度(mm) Cutting length	剪切直径(mm) Cutting width	电机功率 (KW) Power	电 源(V) Voltage/ frequency	重量(kg) Weight	外形尺寸(mm) Package size
YH-803	5-9999mm	4-42mm	1.0KW	220/110(V) 50/60Hz	70kg	700*580*450mm

Contact Us

Company

XIAMEN JINGWEI TECHNOLOGY CO., LTD.

WhatsApp

+86-18965153335

Email

sales@cablecutting.net

Website

www.cablecutting.net

Address

526 Xinglinwan Rd, Jimei, Xiamen, Fujian, China